

ROUNDHOUSE COMMUNITY ARTS AND RECREATION CENTRE PERFORMANCE CENTRE EQUIPMENT LIST

All equipment below is included in room rental, for use by renters when booked in advance and *when available*, unless otherwise specified. If your event has specific needs, please discuss with Roundhouse Production Manager/Technical Director. Additional event equipment can be rented through our suppliers.

EQUIPMENT

QUANTITY IN STOCK

Lighting

- Grid is at 22' 9"
- Access:
 - o Genie GS-1930 scissor lift. Room for 2 persons in platform. Only Roundhouse staff can operate the lift.
 - Genie AWP-30 man lift. Room for 1 person in platform. Only Roundhouse staff can operate the lift. Requires a second roundhouse staff stationed at the base of the lift
 - o Aluminum Extension ladder for FOH

•	ETC Element 40 lighting console	2
•	2016 Ipad console remote	1
•	ETC Sensor dimmer racks (2.4 kW dimmers, house lights use 4 circuits)	144
•	Source 4 ellipsoidal reflector spotlights 575W (bodies)	104
	House hang uses 63	
	o 19 degree Source 4 lens tubes	8
	House hang uses 3	
	o 26 degree Source 4 lens tubes	19
	House hang uses 11	
	o 36 degree Source 4 lens tubes	82
	 House hang uses 40 	
	o 50 degree Source 4 lens tubes	12
	 House hang uses 9 	
	o 70 degree Source 4 lens tubes	2
•	Source 4 PARs 575W with complete lens kits (inc. XWFL)	18
	o House hang uses 10	
•	ETC Colour Source Pars (deep blue edition)	10
	o House hang uses 9	
•	Strand 3380 Fresnels (1 kW) (see below re: barndoors)	12
	o House hang uses 0	
•	Altman 360Q 6 x 9 750W ellipsoidal	6
	o House hang uses 2	
•	Altman 360Q 6 x 12 750W ellipsoidal	4
	o House hang uses 0	
	PAR 64 - 1 kW MFL or WFL	32



	o House hang uses 20 MFL, 4 WFL	
	o Some VNSP, NSP Lamps also in stock, please confirm in advance	
•	PAR 56 300W - house lights	8
	o House hang uses 8	
•	Pin Spots - 150W	4
	O House hang uses 0	
Cable e	² r Accessories	
•	Rosco I-Cue intelligent mirrors	2
•	Male SOCA – 6x Female U-Ground Splays	10
•	12' SOCA cables	14
•	20' SOCA cables	4
•	50' SOCA cables	5
•	72' SOCA cables	3
•	96' SOCA cables	4
•	8' U-Ground Cables	20
•	10' U-Ground Cables	45
•	16' U-Ground Cables	10
•	25' U-Ground Cables	30
•	50' U-Ground Cables	11
•	U ground twofers	47
•	16' powercon cables	10
•	100' DMX cables	2
•	50' DMX cables	1
•	50' Data cable (4 pin)	2
•	25' Data cable (4 pin)	2
•	"A" size gobo holders for S4	10
•	"B" size gobo holders for S4	4(
•	Glass gobo holders for S4 (B-sized)	2
•	Barndoors for Strand 3380 Fresnels	7
•	Wooden Boom bases with 8' booms	14
•	Floater plates	8
•	Assorted gels (mostly Roscolux colours) and a limited selection of gobos.	
Temp	orary Power	
•	15 Amp (non dim) circuits distributed throughout the room	10
	o Room equipment uses 3	
•	200 Amp distro w/ Camlock Tails (J Series - Neutral/Ground reversed)	1
	Only Roundhouse staff may connect or disconnect the 200 Amp su	pply
T 7' 1	 Dimmers 97-144 use this power supply 	
Video	NEC DIVICIL D. ' ND 42771 1	4
•	NEC PU622U Projector (6000 Lumens, NP 13ZL lens)	1



	Must be booked in advance, subject to availability 20'Wx12'T Motorized roll down front projection screen 12'Wx 9'T Manual roll down front projection screen • Must be Hung before use, requires 2 Technicians DMX (or switched) Douser HDBase-T Extender boxes (HDMI over Cat 5) Transmitter HDBase-T Extender boxes (HDMI over Cat 5) Receiver 50' HDMI cable 6'-10' HDMI cable 75' Cat 5 ethernet cable 50' Cat 5 ethernet cable 50' VGA cable 50' VGA cable 100' BNC cable	1 1 2 2 2 4 3 2 1 2 2
•	50' BNC cable	2
•	Tascam DVD-01U DVD Player	1
■ Audio	Additional DVD players may be available if booked in advance. Note: The Roundhouse does not have a vision mixer in-house but they may available at cost from a rental supplier if arranged in advance.	ay be
1 ∕1	Yamaha QL5 - 24 channel mixing console	1
	EAW MK2164 mid/hi speaker cabs	4
	O Powered by Yamaha P450 stereo amplifier	
	EAW SB 180R subwoofer cabs	2
	o Powered by 2 x QSC PLX3402 stereo powered amplifiers	4
	EAW SM109Z wedge monitors	4
	O Powered by Yamaha P450 stereo amplifier	•
•	Mackie SWA1801 18" Powered Sub	1
•	Ashly 3:24 Crossover/Speaker Management system	1
•	TC Electronics M-One XL Effects Processor	1
•	Mackie SRM 450 Powered Speakers (book in advance)	4
•	Mackie Sub	1
•	XLR	
	o 50°	15
	o 25'	15
	o 100"	3
Playba		
-	Tascam CD-01U CD Player	1
•	Denon DN-T620 CD player/ cassette deck	1



- DVD Player: See Video above
- Additional CD/Cassette/Mini Disc players may be available if booked in advance.

Commu	nication	
•	TP MS200 - 2 Channel master station	1
•	TP SMH210 headsets with mics	5
•	TP BP- Single channel belt packs	4
•	Outstations with show relay in Dressing Rooms and Tech Office.	
Mic Kit	t.	
•	Shure SM58 mics	3
•	Shure Beta 58 mics	4
-	Shure Beta 57 mics	4
•	AKG 535 mics	4
•	Sennheiser MD 421 mic	1
•	Shure SM98 mic kits	4
•	B52	1
•	DOD Passive Mono DI Boxes	2
•	Behringer Active Mono DI Boxes	2
	Radial JDI Passive Mono DI Boxes	2
	Radial Pro AV2 Stereo DI Box	1
	Sennheiser G3 wireless mics (choice of E835 Handheld or ME2 Lavalier)	2
	Mic cables of various lengths	22
	Tall Boom Mic stands:	11
	Short Boom Mic stands	9
	Straight Mic Stands	3
	Table Mic stands	4
	Tilting Mic Stands	2
	Thung tric Stands	
Gener		
Drapery •	16'h x12' w black traveler drape (On curtain track running along the	20
	o perimeter of the Performance Centre, below the catwalk.)	20
	6' 4" h x 65' w black borders (hanging from catwalk railing)	4
	6' 4" h x 65' w black borders (not in default set-up)	2
_	22' 9" h x 12' w black legs (default onstage)	•
_	22' 9" h x 12' w black legs (not in default set-up)	3 5
_	9' 3" h x 65' w black border (not in default set-up)	2
_	9 3 II x 03 w black border (not in derault set-up)	۷
Staging		
•	4' x 8' Birch Plywood Stage Decks:	16
	2 decks used in standard seating configuration.	



•	4' x 4' stage decks	3
•	6" Modular stacking legs	42
•	12" Modular stacking legs	35
•	Staging must be set up by RHCC staff.	

Access

- Primary: Through double doors 4' 11" w x 6' 6" h from Roundhouse Turntable, accessed from Davie Street, directly into Performance Centre. Small lift (3") required over door lip. Trucks up to 5T. Not after 10PM.
- Secondary: Through large doors 11' 10" w x 11' 6" h from Roundhouse Turntable, accessed from Davie Street, directly into Performance Centre. Trucks up to 5T. Not after 10PM.
- Tertiary: Through double doors 4' 11" w x 6' 6" h from Courtyard on Pacific Boulevard, directly into Performance Centre. Small lift (3") required over door lip. Cars and regular vans only. No time restrictions.
- Level access (no lift) through double doors 5' 11" w x 7' 6" h also possible from Loading Area on Roundhouse Mews accessible from Drake Street. Short push (max. 200') to Performance Centre.